INERTECH[™]Gaseous Fire Suppression System



IG-01 Safety Information

Product: IG-01 IDENTIFICATION FOR THE SUBSTANCE/PREPARATION AND COMPANY		
Product name	Intertech IG-01	
Synonyms	IG-01	
Chemical Formula	Ar	
Company identification	Firetec System Ltd. Unit 6, The Business Centre Wokingham, Berkshire, RG41 2QZ sales@firetec-systems.com	
Emergency Phone Number	+44 (0)1118 989 7910	
COMPOSITION/INFORMATION ON INGREDIENTS Substance/Preparation	Fire extinguishing agent	
Components/Impurities	Contains no components or impurities which will influence the classification of the product	
No.	N/A	
No.	N/A	
Specification IG-100	Gas of 100% Argon (Ar) H20<10ppm 02<10ppm in base component	
HAZARD IDENTIFICATION Hazard Identification	In high concetrations may cause asphyxiation Compressed gas	
FIRST AID MEASURES Inhalation	May cause asphyxiation at high concentrations. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to an uncontaminated area. Wearing self-contained breathing apparatus, keep victim warm and at rest. Seek medical assistance. Apply artificial respiration if breathing has stopped.	

Unit 6, The Business Centre Molly Millars Lane Wokingham, Berkshire RG41 2QZ, United Kingdom +44 (0)118 9897910 sales@firetec-systems.com

www.firetec-systems.com

DS 30FSL Inertech Rev B - May 2023

INERTECH[™]Gaseous Fire Suppression System



IG-01 Safety Information

Skin/eye contact	Compressed gas directed at the skin can enter the body through small wounds or can even penetrate the skin, causing serious or fatal injuries. Seek medical advice immediately
Ingestion	Ingestion is not considered a potential route of exposure
FIRE FIGHTING MEASURES Specific Hazards	Exposure to fire may cause containers to rupture/explode. Call the Fire Department. Nonflammable.
Hazardous combustion products	None
Suitable extinguishing media	All known extinguishants can be used
Specific methods	Cool with water from a protected position
Special protective equipment for fire fighters	In confined spaces uses self-contained breathing apparatus
ACCIDENTAL RELEASE MEASURES Personal precautions	Evacuate area. Use self-contained breathing apparatus when entering area unless atmosphere is proved safe. Ensure adequate air ventilation.
Environmental precautions	No impact to the environment
Clean-up methods	Ventilate area
HANDLING AND STORAGE Handling and storage	Use only equipment, which is specified as suitable for this product, its' supply pressure and temperature. Contact your supplier if in doubt. Compressed gas cylinders are heavy and contain considerable stored energy. Use suitable equipment and handle with appropriate caution. Refer to suppliers. Keep containers

below 50°C in a well-ventilated place.

Unit 6, The Business Centre Molly Millars Lane Wokingh<mark>am,</mark> Berkshire RG41 2QZ, United Kingdom +4<mark>4 (0</mark>)118 9897910 sales@firetec-systems.com 🖂

www.firetec-systems.com

C

INERTECH[™]Gaseous Fire Suppression System



IG-01 Safety Information

EXPOSURE CONTROLS/PERSONAL PROTECTION Exposure Limit Value-ELV No ELV specified, but atmosphere must have a minimum	
Personal Protection	18% free oxygen Ensure adequate air ventilation
PHYSICAL AND CHEMICAL PROPERTIES Vapour Density	1.38 (air = 1)
Relative density liquid	1.4
Vapour pressure 20°C	N/A
Solubility in water	61 mg/l
Appearance/colour	Colourless gas
Auto ignition temperature	N/A
Flammability range	Non flammable
Other data	Vapour is heavier than air. May accumulate in confined spaces, particularly at or below ground level
STABILITY AND REACTIVITY Stability and Reactivity	Stable under normal conditions
TOXICOLOGICAL INFORMATION General	Asphyxiant in high concentrations
ECOLOGICAL INFORMATION General	No ecological damage is caused by this product. Nitrogen and Argon are natural components of air. Nitrogen constituting approximately 78% and Argon approximately 0.9% of the earth's atmosphere.
DISPOSAL CONSIDERATIONS General	To atmosphere in well-ventilated area. Consider noise and pressure hazards. Do not discharge into any place where its' accumulation could be dangerous. Contact your supplier if guidance is required.

Unit 6, The Business Centre Molly Millars Lane Wokingh<mark>am,</mark> Berkshire RG41 2QZ, United Kingdom +4<mark>4 (0</mark>)118 9897910 sales@firetec-systems.com 🖂

www.firetec-systems.com

C

DS 30FSL Inertech Rev B - May 2023

INERTECH[™]Gaseous Fire Suppression System



IG-01 Safety Information

TRANSPORT INFORMATION UN No.	1006
ADR/RID ITEM No. 1	2.2
ADR/RID Hazard No.	Not specified
Labelling ADR	Non-flammable non-toxic gas
REGULATORY INFORMATION Number in annex 1 of Dir. 67/548	Not included in Annex 1
EC Classification	Not classified as a dangerous substance
EC Labelling (symbols R&S Phrases) – Symbols	Compressed gas
Risk Phrases	Asphyxiate in high concentrations
Safety Phrases	Do not breathe the gas Keep containers in a well-ventilated place

Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

Details in this document are believed to be correct at present. Whilst great care has been taken in the preparation of this information, no liability for injury, damage or non-compliance with any legislation or directive arising from its use can be accepted.

This sheet does not constitute or substitute for the users own assessment of workplace risk as required by other health and safety legislation.



www.firetec-systems.com

DS 30FSL Inertech Rev B - May 2023